IMPORTANT NOTE: In the case of indicators such as Immunisation, where low rates indicate higher concern, scoring has been adjusted (inverted) accordingly to represent a high score for low rates. These indicators are identified with a ++.

^Adelaide PHN average not available - Indicator uses Greater Adelaide average as a comparison. #Captial City average not available - Indicator uses South Australia average as a comparison AND

Inot applicable The 17 Local Government Areas (LGA) in the Adelaide PHN region have been geographically grouped by three Local Health Network (LHN) boundaries in the region. Immunisation Indicators: Scoring has been adjusted to 1% intervals to reflect sensitivity of

Immunisation indicators: Scoring has been adjusted to 1% intervals to reflect sensitivity of indicators. Sources: PHIDU 2014, Social Health Atlas of Australia, Data by Primary Health Networks, Published 2014: November 2014 Release; PHIDU 2015, Social Health Atlas of Australia South Australia, Data by Local Governmant Area, Published 2015: June 2015 Release.

For each Demographic and Health Indicator, all Local Government Areas (LGA) within the Adelaide PHN have be compared with Australia's 'Capital Citie Average' and then scored using the Adelaide PHN Scoring Method (right). Higher scores indicate higher comparative prevalance, in that area. Nb: In the case of indicators such as Immunisation, where low rates indicate higher concern, scoring has been adjusted (inverted) accordingly to represent a high score for low rates. These indicators are identified with a ++.

	Adelaide PHN Scoring Method	
	>10.1% less than the Capital Cities Average	0 poi
een ies	within (+/-) 10% of the Capital Cities Average	1 poir
	10.1-29% more than the Capital Cities Average	2 poir
	30-49% more than the Capital Cities Average	3 poir
ed	50% more than the Capital Cities Average	4 poir
1	AND	
	If also higher than APHN rate, an additional 1 point is added to the score	1 poir

Score	Score Des
0	Very Low Prevalance or
1	1
2	
3	
4	ŧ
5	Very High Prevalance or

nts

		NORTHERN	ADELAIDE LHI	N				CENTRA	AL ADELAIDE	LHN				*	SOUTHERN	ADELAIDE LI	IN .	Þ
Local Government Area (LGA)	Playford	Salisbury	Tea Tree Gully	Port Adelaide Enfield	Campbelltown	Norwood Payneham S Peters	t Burnside	Walkerville	Prospect	Adelaide	Charles Sturt	West Torrens	Unley	Mitcham	Holdfast Bay	Marion	Onkaparinga	Total number within the Adelaide PHN Region
Demographic and Health Indicators	<u> </u>			<u> </u>	•	<u> </u>	<u> </u>	<u>_</u>	<u> </u>	<u> </u>		I	<u>_</u>	<u> </u>	<u>+</u>	<u> </u>		
Age distribution																		
Persons, 0-4 years (2013 ERP)		4	2 (D ::	2 (D	D	0	0	0	0 0		0	0	0 () (2	2 71,274
Persons, 15-24 years (2013 ERP)		3	2	1	1	1	2	2	1	2	5 1		2	1	1 1	1	1	1 163,684
Persons, 65+ years (2013 ERP)		0	1 2	2	2	5	4	5	5	1	<mark>1</mark> 4		4	2	4 5	5 3	3 2	2 190,842
Indigenous Status			-															
Indigenous Status (2011 URP)		5	4 (D	5 (D	D	0	0	0	0 1		0	0	0 () () 2	2 14,688
Birthplace & non-English speaking residents						•	•	•	•	•			•	•	•			
People born (overseas) in predominantly non-English speaking countries (2011)		0	1 (D ::	3	3 :	2	1	1	2	<mark>5</mark> 2		3	0	0 0) () (0 180,404
People born (overseas) in predominantly non-English speaking (NES) country resident in Australia for five years and more (2011)		0	1 (D I	5	4	5	2	1	5	<mark>5</mark> 1		5	2	0 () () () 125, 123
People born (overseas) in predominantly non-English speaking (NES) country resident in Australia for less than five years and more (2011)	l	0	1 (D	5 4	4	5	2	1	5	<mark>5</mark> 1		5	2	0 0) (47,282
People born overseas reporting poor proficiency in English (2011)		0	<mark>3</mark> (0	4 :	<mark>3</mark> :	2	0	0	2	2 3		<mark>3</mark>	0	0 0) () (29,602
Learning or Earning ++					-		-											
Learning or Earning at ages 15 to 19 (2011) ++	:	3	2 1	1 2	2	1	1	1	1	1	1 1		1	1	1 1	1	2	59,001
Housing/Transport																		
Dwellings rented from the government housing authority (2011)		5	<mark>5</mark> 1	1	5 ·	1	3	0	3	0	4 5		3	0	0 (D 8	5	2 28,539
Financial stress from mortgage or rent (2011)		2	2 (D	1 (D	1	0	0	2	<mark>5</mark> C		2	2	0 2	2 () 2	2 47,887
Dwellings with no motor vehicles (2011)		3	0 0	0	4 ·	1	4	0	1	2	5 3		4	2	0 2	2 2	2 (42,827
Income Support																		
Age pensioners (June 2013)	-	3	3 3	3 :	3 :	3	1	0	0	1	0 3		3	0	1 (3	3 3	3 142,210
Disability support pensioners (June 2013)		5	<mark>5</mark> 1	1	5 2	2	1	0	0	1	1 <mark>5</mark>		2	0	0 1	t.	5 5	5 52,080
Female sole parent pensioners (June 2012)		5	<mark>5</mark> 1	1	5 (D	D	0	0	0	0 2		0	0	0 0) 1	Ę	5 16,546
People receiving an unemployment benefit long-term (June 2013)		5	<mark>5</mark> 1	1	5	1	D	0	0	1	1 <mark>.</mark> 5		2	0	0 0) 2	2 <mark></mark> 5	38,446
Young people aged 16 to 24 years receiving an unemployment benefit (June 2013)		5	5 2	2 5	5 (0	D	0		0	0 3		1	0	0	2	2 5	5 6,939
Low income, welfare-dependent families (with children) (June 2013)		5	<mark>5</mark> () (5 (D	D	0	0	0	0 1		0	0	0 0) () 3	3 30,271
Health Care Card holders (June 2013)		5	<mark>5</mark> 1	1	4	1	D	0	1	0	2 2		2	0	0 0) 2	2 4	4 84,512
Internet access at home				-			•											
No internet connection (2011)		5	<mark>4</mark> 1	1	5	1	3	1	1	2	0 5		4	1	1 2	2 4	2	96,959
SEIFA IRSD																		
SEIFA IRSD (based on decile) (2011)		5	4 (0	5	1	D	0	0	0	1 3		1	0	0 0) 1	1	1,124,931
Self-assessed health (modelled estimates)							•	•	•	•		•		•	•			
Estimated population, aged 15 years and over, with fair or poor self-assessed health (2011-13)		4	<mark>4</mark> 1	1	4 :	3	1	0	1	1	1 3		3	0	0 0) 1	2	2 151,027
Chronic diseases and conditions (modelled estimates)																		
Estimated population, aged 18 years and over, with diabetes mellitus (2011-13)		4	<mark>4</mark> 1	1	5 4	4	4	1	1	1	1 <mark> 4</mark>		2	1	0 1	1	1	63,155
Estimated population, aged 18 years and over, with high blood cholesterol (2011-13)		1	1 2	2	1	1	1	2	2	2	3 1		1	1	3 2	2 1	2	2 310,665
Estimated population with mental and behavioural problems (2011-13)		3	3 1	1	3	1	1	1	1	1	4 1		1	1	1 1	3	3 3	3 169,635
Estimated male population with mental and behavioural problems (2011-13)		2	1 2	2	3	2	3	3	1	1	5 1		3	3	2	3	3	3 76,422
Estimated female population with mental and behavioural problems (2011-13)		4	3 1	1 :	3	1	1	0	1	1	3 1		1	1	1 1	1	3	93,213
Estimated population, aged 2 years and over, with circulatory system diseases (2011-13)		2	2 1	1 2	2 2	2	2	1	1	1	1 2		1	0	1 1	2	2 1	198,067
- Estimated population with hypertension (2011-13)		2	2 2	2	1	1	2	1	2	2	2 1		1	1	2	1 2	2	126,519
Estimated population with respiratory system diseases (2011-13)		3	3 3	3	1	1	1	1	1	1	1 1		1	1	3	1	3	3 354,943

scription	
Concern	
r Concern	

IMPORTANT NOTE: In the case of indicators such as Immunisation, where low rates indicate higher concern, scoring has been adjusted (inverted) accordingly to represent a high score for low rates. These indicators are identified with a ++.

^Adelaide PHN average not available - Indicator uses Greater Adelaide average as a comparison. #Captial City average not available - Indicator uses South Australia average as a comparison AND

Inot applicable The 17 Local Government Areas (LGA) in the Adelaide PHN region have been geographically grouped by three Local Health Network (LHN) boundaries in the region. Immunisation Indicators: Scoring has been adjusted to 1% intervals to reflect sensitivity of

indicators.

Sources: PHIDU 2014, Social Health Atlas of Australia, Data by Primary Health Networks, Published 2014: November 2014 Release; PHIDU 2015, Social Health Atlas of Australia South Australia, Data by Local Governmant Area, Published 2015: June 2015 Release.

For each Demographic and Health Indicator, all Local Government Areas (LGA) within the Adelaide PHN have bee compared with Australia's 'Capital Citie Average' and then scored using the Adelaide PHN Scoring Method (right). Higher scores indicate higher comparative prevalance, in that area. Nb: In the case of indicators such as Immunisation, where low rates indicate higher concern, scoring has been adjusted (inverted) accordingly to represent a high score for low rates. These indicators are identified with a ++.

	Adelaide PHN Scoring Method	
	>10.1% less than the Capital Cities Average	0 poi
een ies	within (+/-) 10% of the Capital Cities Average	1 poi
	10.1-29% more than the Capital Cities Average	2 poii
	30-49% more than the Capital Cities Average	3 poii
d	50% more than the Capital Cities Average	4 poii
-	AND	
	If also higher than APHN rate, an additional 1 point is added to the score	1 poii

Score	Score Des
0	Very Low Prevalance or
1	1
2	
3	
4	+
5	Very High Prevalance or

		NORTHERN	ADELAIDE LH	IN				CENTRA	L ADELAIDE I	LHN	-				SOUTHERN	ADELAIDE LH	IN .	•
Local Government Area (LGA)	Playford	Salisbury	Tea Tree Gully	Port Adelaide Enfield	Campbelltown	Norwood Payneham S Peters	t Burnside	Walkerville	Prospect	Adelaide	Charles Sturt	West Torrens	Unley	Mitcham	Holdfast Bay	Marion	Onkaparinga	Total number within the Adelaide PHN Region
- Estimated population with asthma (2011-13)	:	3	1	3	1	1 1	1 1	1	1	1 (0 1		1	1 1	1	3	:	3 116,492
- Estimated population with chronic obstructive pulmonary disease (2011-13)	:	3	2	1	2	0 2	2 (0	C) (0 2		1	0 0) 1	2	2	2 26,294
Estimated population with musculoskeletal system diseases (2011-13)	:	3	2	1	1	1 2	2 1	2	2	2	1 1		1	2 1	1	1	2	332,137
- Estimated population with arthritis (2011-13)	;	3	3	1	3	1 1	1 1	1	1	1	1 3		1	1 1	1	3	t de la companya de l	8 185,509
Psychological distress (modelled estimates)																		
Estimated population, aged 18 years and over, with high or very high psychological distress based on the Kessler 10 Scale (K10) (2011-13)	:	3	3	1	3	1 1	1 (1	1	1 :	3 3	:	2	1 () 1	2	1	103,592
Health risk factors (modelled estimates)											-	_						
Estimated male population, aged 18 years and over, who were current smokers (2011-13)		5	3	1	3	1 (0 0	0	C) (0 2		1	0 0	0 0	1	:	86,797
Estimated female population, aged 18 years and over, who were current smokers (2011-13)		5	4	2	3	1 (0 0	0	C) (0 2		1	0 0) 1	1	4	4 72,264
Estimated population, aged 18 years and over, who were current smokers (2011-13)		5	3	1	3	1 (0 0	0	0) (0 2		1	0 0	0 0	1	3	3 159,061
Estimated population, aged 18 years and over, consuming alcohol at levels considered to be a high risk to health (2011-13)	:	2	2	0	2	0 2	2 0	0	c	0 (o 0	(0	0 0	2	0	2	2 35,756
Estimated male population, aged 18 years and over, who were overweight (but not obese), (2011- 13)		1	1 :	2	1	2 1	1 2	2	2	2	1 1		1	2 2	2 3	2	2	2 161,121
Estimated male population, aged 18 years and over, who were obese (2011-13)		3	3	3	3	1 1	1 (1	1	1 (0 3		1	0 1	1	3	3	3 109,858
Estimated female population, aged 18 years and over, who were overweight (but not obese), (2011-13)	:	2	3	1	1	1 1	1 1	2	2	2	1 2		1	1 3	3 3	1	:	3 116,162
Estimated female population, aged 18 years and over, who were obese (2011-13)	4	4	4	3	3	1 (0 0	0	C) (0 2		1	0 0	1	1	3	3 106,760
Estimated population, aged 18 years and over, who were overweight (but not obese) (2011-13)		1	1	2	1	1 1	1 2	2	2	2	1 1		1	2 2	2 3	2	2	2 277,282
Estimated population, aged 18 years and over, who were obese (2011-13)	4	4	4	3	3	1 1	1 (1	1	(0 3		1	0 0) 1	1	ę	3 216,618
Disability										-								
Unpaid assistance to persons with a disability (2011)		3	1	1	1	3 3	3 3	3	3	3 (0 3		1	3 3	3 1	1	3	3 109,404
People with a profound or severe disability and living in the community, All ages (2011)		5	4	1	4	<mark>3</mark> 2	2 (1	1	(0 4		3	0 1	1	3	2	2 49,656
Premature mortality, by sex			-															
Deaths of males, 0 to 74 years (2008-2012)			3	0	4	1 3	<mark>3</mark> (1	3	3	1 3		1	1 () 1	1		8,065
Deaths of females, 0 to 74 years (2008 -2012)			3	1	4			0	1		3		1) 1	2		5,321
Total deaths, 0 to 74 years (2008 -2012)			3	1	4	0	3 (1	2		3		1	1 () 1	1		1 13,387
Premature mortality by cause Deaths from cancer, 0 to 74 years, Average annual, ASR per 100,000 (2008 -2012)		4	2	1	2	1	2	1			2		4			1		2 5,764
Deaths from cancer, 0 to 74 years, Average annual, ASR per 100,000 (2008 -2012)		•	3		3 	1 4	2 (1	۰ ۲		J 3		•	0 0		1	4	5,764
- Deaths from colorectal cancer, 0 to 74 years, Average annual, ASR per 100,000 (2008 -2012)	:	3	3	3	4	0 4	4 (3	c		3 3		1	<mark>3</mark> 1	1	1	1	572
- Deaths from lung cancer, 0 to 74 years, Average annual, ASR per 100,000 (2008 -2012)	ę	5	4	1	4	1 (0 0	0	4	4 (0 3	(0	0 0	0 0	1	3	3 1,168
- Deaths from breast cancer (females), 0 to 74 years, Average annual, ASR per 100,000, (2008 - 2012)		3	3	3	3	0 1	1 3	5	c) 4	4 4	:	3	0 1	c c	1	5	3 515
Deaths from endocrine, nutritional and metabolic diseases - Deaths from diabetes, 0 to 74 years, Average annual, ASR per 100,000 (2008 -2012)		5	3	0	5	<mark>3</mark> (0 0	0			4	(0	C	0 0	0	(282
Deaths from circulatory system diseases, 0 to 74 years, Average annual, ASR per 100,000 (2008 - 2012)		5	4	0	4	1 1	1 (0	3	3 (0 3		4	0 0) 1	2	(2,539
Deaths from circulatory system diseases - Deaths from ischaemic heart disease, 0 to 74 years, Average annual, ASR per 100,000 (2008 -2012)		5	4	0	5	1 3	3 (0	з	3 (0 1		4	0 0) 2	3		1,359
Deaths from circulatory system diseases -Deaths from cerebrovascular diseases, 0 to 74 years, Average annual, ASR per 100,000 (2008 -2012)	;	3	2	0	3	0 0	0 2		c		0 3	:	2	0 0	0 0	0	0) 443
Deaths from respiratory system diseases, 0 to 74 years, Average annual, ASR per 100,000, (2008 -2012)		5	5	0	5	0 2	2 (з	3 4	4 3	(0	<mark>3</mark> (2	1	2	2 827

scription	
Concern	
r Concern	

IMPORTANT NOTE: In the case of indicators such as Immunisation, where low rates indicate higher concern, scoring has been adjusted (inverted) accordingly to represent a high score for low rates. These indicators are identified with a ++.

^Adelaide PHN average not available - Indicator uses Greater Adelaide average as a comparison. #Captial City average not available - Indicator uses South Australia average as a comparison AND

Inot applicable The 17 Local Government Areas (LGA) in the Adelaide PHN region have been geographically grouped by three Local Health Network (LHN) boundaries in the region. Immunisation Indicators: Scoring has been adjusted to 1% intervals to reflect sensitivity of

Immunisation indicators: Scoring has been adjusted to 1% intervals to reflect sensitivity of indicators. Sources: PHIDU 2014, Social Health Atlas of Australia, Data by Primary Health Networks, Published 2014: November 2014 Release; PHIDU 2015, Social Health Atlas of Australia South Australia, Data by Local Governmant Area, Published 2015: June 2015 Release.

For each Demographic and Health Indicator, all Local Government Areas (LGA) within the Adelaide PHN have bee compared with Australia's 'Capital Cities Average' and then scored using the Adelaide PHN Scoring Method (right). Higher scores indicate higher comparative prevalance, in that area. Nb: In the case of indicators such as Immunisation, where low rates indicate higher concern, scoring has been adjusted (inverted) accordingly to represent a high score for low rates. These indicators are identified with a ++.

	Adelaide PHN Scoring Method	
	>10.1% less than the Capital Cities Average	0 po
en es	within (+/-) 10% of the Capital Cities Average	1 poi
	10.1-29% more than the Capital Cities Average	2 poi
	30-49% more than the Capital Cities Average	3 poi
I	50% more than the Capital Cities Average	4 poi
	AND	
	If also higher than APHN rate, an additional 1 point is added to the score	1 poi

Score	Score Des
0	Very Low Prevalance or
1	1
2	
3	
4	+
5	Very High Prevalance or

		NORTHERN A	ADELAIDE LHI	N				CENTRA	L ADELAIDE L	_HN				•	SOUTHERN	ADELAIDE LH	IN 💦	•
Local Government Area (LGA)	Playford	Salisbury	Tea Tree Gully	Port Adelaide Enfield	Campbelltown	Norwood Payneham St Peters	Burnside	Walkerville	Prospect	Adelaide	Charles Sturt	West Torrens	Unley	Mitcham	Holdfast Bay	Marion	Onkaparinga	Total number within the Adelaide PHN Region
Deaths from respiratory system diseases - Deaths from chronic obstructive pulmonary disease, 0 to 74 years, Average annual, ASR per 100,000 (2008 -2012)	ę	5 4	. (4 C) 4	c		1	ę	5 1		0	0 (D 0) (371
Deaths from external causes, 0 to 74 years, Average annual, ASR per 100,000 (2008 -2012)		5 3	3 ()	5 1	4	C) 1	1	1	3		3	3 (0 0	2	1	1,575
Deaths from external causes, ⁻ Deaths from road traffic injuries, 0 to 74 years, Average annual, ASR per 100,000 (2008 -2012)	ę	5 5	5 3	3 5	5 ()			3	3	3		0	0 (0 1	(3	232
Deaths from external causes - Deaths from suicide and self-inflicted injuries, 0 to 74 years, Average annual, ASR per 100,000 (2008-12)	ę	5 4	L 1	1	5 1	4	1	4	1		<mark>ا</mark> 1		4	4 (D 0	3	2	718
Admissions principal diagnosis 2011/12															I			
Infectious and parasitic diseases - Public hospitals, ASR per 100,000 (2011-12)	;	<mark>3</mark> 2	2 2	2 2	2 0	0 0	C	0 0	0) (0 0		0	0 (D 0	1	2	4,865
Infectious and parasitic diseases - All hospitals, ASR per 100,000 (2011-12)	:	2 2	2 2	2 2	2 0	0 0	C	0 0	0		3 2		0	0 (o c) (2	6,107
All cancers - Public hospitals, ASR per 100,000 (2011-12)	4	4 3	3 () :	3 1	C	C	0 0	0) (2		0	0 (o c	2		. 14,371
All cancers - All hospitals, ASR per 100,000 (2011-12)		1 1	1	1	1 2	2 1	3	8 4	1	4	4 3		1	3 :	3 4		3	36,408
Mental health related conditions - Public hospitals, ASR per 100,000 (2011-12)	4	4 1	()	5 1	2	C) 4	1	:	2	:	2	2	1 3	4	. 3	11,350
Mental health related conditions - All hospitals, ASR per 100,000 (2011-12)		1 () ()	() 1	C)	0)	4 0		0	1 (0 1	1	1	13,122
Circulatory diseases - Public hospitals, ASR per 100,000 (2011-12)	ł	5 3	3 2	2	3 0	0 0	C	0	0) (2		0	0 (0 0	1	3	17,538
Circulatory diseases - All hospitals, ASR per 100,000 (2011-12)	:	3 2	2 1	1	2 1	C	C) 1	C) () 1	:	2	1	1 1	2	2	27,744
Respiratory diseases - Public hospitals, ASR per 100,000 (2011-12)		5 4	4 3	3 :	3 (0 0	C	0 0	0		1		0	0 (o c	2		. 16,094
Respiratory diseases - All hospitals, ASR per 100,000 (2011-12)	Ę	5 4	. 3	3 :	3 0	0	C	0 0	C		1		1	1 (0 1	3	3	21,752
Digestive diseases - Public hospitals, ASR per 100,000 (2011-12)	4	4 3	3 () :	2 (0	C	0 0	C) (0 0		0	0 (0 0	1	2	16,407
Digestive diseases - All hospitals, ASR per 100,000 (2011-12)	:	2 2	2 2	2 () 2	2 2	2	2 2	0) () 1		1	1	2 2	1	(44,554
Musculoskeletal diseases - Public hospitals, ASR per 100,000 (2011-12)	ł	5 3	3 () :	3 (0	C	0 0	0) (0 0		0	0	1 C	4		9,722
Musculoskeletal diseases - All hospitals, ASR per 100,000 (2011-12)	:	3 3	3	3	2	2 1	2	2 1	1	1	2		2	2	4 4	. 4	. 4	. 30,861
Genitourinary diseases - Public hospitals, ASR per 100,000 (2011-12)	ę	5 4	1	1 :	3 (0	C	0 0	C) (2		0	0 (0 0	1	3	12,714
Genitourinary diseases - All hospitals, ASR per 100,000 (2011-12)	:	3 3	3 2	2	2 1	0	C	0 0	0) (2		0	0	1 1	2	1	23,217
Injury and poisoning - Public hospitals, ASR per 100,000 (2011-12)	;	3 2	2 () :	2 (0	C	0	0) (0 0		0	0 (0 0	2	2	20,985
Injury and poisoning - All hospitals, ASR per 100,000 (2011-12)	;	3 2	2 1	1 2	2 0) 1	C	0	0		2 1		0	3	1 3	2	2	29,924
Same-day admissions for renal dialysis							•		1			•		-				
Admissions for same-day renal dialysis - Public dialysis units, ASR per 100,000 (2011-12)	4	4 0)	4 (0	0 0	0) (2		4	0 ((2	48,856
Admissions for same-day renal dialysis - All dialysis units, ASR per 100,000 (2011-12)	;	3 2	2 ()	4 3	3	C	0 0	0) (2		4	0 () (2	2	68,712
Emergency department presentations							•		1	1				- I	•			
Emergency department presentations, ASR per 100,000 (2011-12)		5 3	3	1	3 (0 0	C	0 0	0		2 2		0	0 (1	Ę	326,168
Childhood Immunisation ++ (Scoring has been adjusted to 1% intervals to reflect sensitivity of indicators)						1		1					1		•			
Children fully immunised at 1 year of age (2014)^++	:	3 2	2 2	2 2	2 4	4 3	2	2 2	1	1	2 4	;	3	2 1	1 2	1	1	13,088
Children fully immunised at 2 years of age (2014)^++	:	<mark>3</mark> 1	2	2	3 1	4	4	1	2	2	5 4	;	3	2 3	3 <mark>1</mark> 1	3	1	13,007
Children fully immunised at 5 years of age (2014)^++		2 1	1	1	3 4	4	4	4	1	5	2		1	4	3 <mark>5</mark> 5	1	1	12,854
Adult Immunisation ++ (Scoring has been adjusted to 1% intervals to reflect sensitivity of indicators)						1	1	1					-1					
HPV vaccine coverage: females aged 12-13 years in mid-2011, who received Dose 3 by 2014 (2014)^ ++		3 4)	, (0	3		0		0	0 0			2	10,080
Cancer Screening ++							· ~				· · ·		- 1	-1 `	· · · ·			
National Bowel Cancer Screening Program (NBCSP) - Participation, males (2011-12)^++	:	2 2	2 (2 2	2 1	C) 1	2	2 :	3 0		0	0 0) () ((8,425
National Bowel Cancer Screening Program (NBCSP) - Participation, females (2011-12)^++	:	2 2	2 (2 1	1	C	0 0	C		2 0		1	0 (0 0) ((9,912
National Bowel Cancer Screening Program (NBCSP) - Participation, persons (2011-12)^++	:	2 2	2 (2 2	2 1	C	0 0	1	2	2 0		0	0 (0 0	((18,337
National Bowel Cancer Screening Program (NBCSP) - Positive FOBT test result, person (2011- 12)^	4	4 3	8 1	1 :	3 1	1	C	0 0	1	(3	:	2	0	1 C	2	1	1,316

scription	
Concern	
r Concern	
	_

IMPORTANT NOTE: In the case of indicators such as Immunisation, where low rates indicate higher concern, scoring has been adjusted (inverted) accordingly to represent a high score for low rates. These indicators are identified with a ++.

^Adelaide PHN average not available - Indicator uses Greater Adelaide average as a comparison. #Captial City average not available - Indicator uses South Australia average as a comparison AND

Inot applicable The 17 Local Government Areas (LGA) in the Adelaide PHN region have been geographically grouped by three Local Health Network (LHN) boundaries in the region. Immunisation Indicators: Scoring has been adjusted to 1% intervals to reflect sensitivity of

indicators.

Sources: PHIDU 2014, Social Health Atlas of Australia, Data by Primary Health Networks, Published 2014: November 2014 Release; PHIDU 2015, Social Health Atlas of Australia South Australia, Data by Local Governmant Area, Published 2015: June 2015 Release.

For each Demographic and Health Indicator, all Local Government Areas (LGA) within the Adelaide PHN have be compared with Australia's 'Capital Citie Average' and then scored using the Adelaide PHN Scoring Method (right). Higher scores indicate higher comparative prevalance, in that area. Nb: In the case of indicators such as Immunisation, where low rates indicate higher concern, scoring has been adjusted (inverted) accordingly to represent a high score for low rates. These indicators are identified with a ++.

	Adelaide PHN Scoring Method							
	>10.1% less than the Capital Cities Average							
een ties	within (+/-) 10% of the Capital Cities Average	1 poi						
	10.1-29% more than the Capital Cities Average	2 poi						
	30-49% more than the Capital Cities Average	3 poi						
ed	50% more than the Capital Cities Average							
1	AND							
	If also higher than APHN rate, an additional 1 point is added to the score	1 poi						
		-						

Score	Score Des
0	Very Low Prevalance or
1	1
2	
3	
4	+
5	Very High Prevalance or

nts

	NORTHERN ADELAIDE LHN CENTRAL ADELAIDE LHN							▶◀───	•									
Local Government Area (LGA)	Playford	Salisbury	Tea Tree Gully	Port Adelaide Enfield	Campbelltown	Norwood Payneham S Peters	t Burnside	Walkerville	Prospect	Adelaide	Charles Sturt	West Torrens	Unley	Mitcham	Holdfast Bay	Marion	Onkaparinga	Total number within the Adelaide PHN Region
Breast screening participation, females aged 50 to 69 years (2010-11)/#++	3	3 2	2	1 2	2	1 :	2	2	1	3	2 2		1	2	1 1		1 1	78,193
Cervical screening participation, females aged 20 to 69 years (2011-12)/# ++	3	3 2	2	1 2	2	1	1		0	2	3 2		2	0 0	, o		1 1	195,377
Cervical screening outcomes: low grade abnormality, females aged 20 to 69 years, ASR per 1,000 (2011-12)/#	3	3 2	2	1 2	2	1 :	3	•	<mark>3</mark> :	2 :	2 2		2	1 (2	1 2	2 5,720
Cervical screening outcomes: high grade abnormality, females aged 20 to 69 years, ASR per 1,000 (2011-12)^#	4	4 2	2	1 2	2	1 :	2		D	0 :	2 1		0	1 (р		1 2	2 1,925
MBS services ++																		
Total GP services (MBS and DVA) (2009-10)++	1	1 1	1	1 2	2	1	2	2	2	2	4 1		1	2 2	2 2	2	1 2	6,544,155
Annual health assessments by GPs, persons aged 75 years and over (2009-10)++	1	1 1	1 :	3	1	1	1	1	3	1	4 2		1	1	1 :	2	1 1	19,431
Total services by GPs for Enhanced Primary Care items (2009-10) ++	1	1 2	2	3	2	2	1	2	3	2	3 1		2	2	1 :	2	1 1	30,465
Practice Nurse services under the MBS, 2009-10, ASR per 100,000 (2009-10) ++	1	1 (D	1	1	1	1	2	1	1	2 2		1	1	1		1 1	390,889
Better Access Program: Preparation of Mental Health Care Plan by GPs, ASR per 100,000 (2009- 10) ++	1	1 2	2	2 2	2	1 :	2	2	2	2	3 2		2	1 1	1		2	94,158
Home and Community Care (HACC)																		
Clients living alone (2012-13)	C	0 0) (0 2	2	2	3	3	3	<mark>3</mark>	4 2		2	3 2	2	3	2 () 25,425
Clients with carer (2012-13)	4	4 3	3	4 2	2	<mark>3</mark>	1)	D	1	1 2		1	0 1	1 ()	3	<mark>3</mark> 19,851
Indigenous clients (per total clients) (2012-13)	5	5 5	5 (0 5	5	D (D		1	2	5 4		0	0 0	0 ()) 1	1,106
Indigenous clients (per Indigenous population) (2012-13)	3	3 4	4 :	2 <mark></mark> {	5	5	3 <mark>.</mark>		1	5	5 5		5	5 <mark> </mark>	3 <mark> </mark>	5	3 3	3 1,106
Non-English speaking clients (2012/13)	C	D 3	3	0 4	1 :	5	5)	1	5 (D 5		5	5 () ()) () 10,739
Nursing care at centre plus nursing care at home instances (2012-13) ++	5	5 4	4 .	4 5	5	4	5	1 .	4	5 !	5 5		5	4 4	4 4	4	5 4	4,096
Transport instances (2012-13) ++	1	1 1	1	1	1	1	1	3	3	1	1 1		1	3	1 1		2 1	9,129
Total instances of assistance (2012-13) ++	1	1 1	1	1 1	1	1	1		D	1	1 0		0	0 0	D ()	1 () 145,871

© Adelaide PHN 2015. All rights reserved. No part of this document may be reproduced without Adelaide PHN's expressed consent. Version 1.4. Details correct at time of publishing. Date Created:300915

scription						
Concern						
r Concern						